

----- POPULATION ESTIMATES -----				----- CANCER INCIDENCE -----		----- LOCAL PUBLIC HEALTH -----		
Total 1997 Population Est 6,300				(Cancer incidence is for 1996)		<u>Activities Reported</u>	<u>Number</u>	<u>Per 10,000</u>
Percent Female 50.2				<u>Primary Site</u>		<u>Public Health Nursing</u>		
Population per square mile 8				<u>Number</u>		Total clients	10	16
Rank in state 72				Breast 4		Total visits	110	175
( 1=highest population density,				Cervical .		Visits: Reason for		
72=lowest population density.)				Colorectal 3		Gen hlth promotion	.	.
<u>Age</u>	<u>Female</u>	<u>Male</u>	<u>Total</u>	Lung, Trachea, & Bronchus 8		Infant/child hlth	.	.
0-14	510	520	1,020	Prostate 6		Infectious & parasitic	20	32
15-19	200	220	420	<u>Other sites</u> 21		Circulatory	.	.
20-24	140	170	320	Total 42		Prenatal	.	.
25-29	130	140	270	----- L O N G - T E R M C A R E -----		Postpartum	.	.
30-34	160	170	330	<u>Community Options and MA Waiver</u>		<u>WIC Participants</u>	325	516
35-39	220	240	470	<u>Programs</u>		<u>Clinic Visits</u>	6,644	10,581
40-44	220	270	490	<u># Clients</u>	<u>Costs</u>	Immunization	2,066	3,290
45-54	430	430	850	COP	16	\$76,110	Blood pressure	426 678
55-64	360	350	710	MA Waivers *			<u>Environmental Contacts</u>	
65-74	390	330	720	CIP1A	0	\$0	Env hazards	.
75-84	300	230	530	CIP1B	12	\$133,090	Public health nuisance	.
85+	120	60	180	CIP2	4	\$2,880	<u>School Health</u>	
Total	3,160	3,140	6,300	COP-W	23	\$107,260	Vision screenings	306 487
<u>Age</u>	<u>Female</u>	<u>Male</u>	<u>Total</u>	CSLA	0	\$0	Hearing screenings	128 204
0-17	630	640	1,260	Brain Inj	0	\$0	<u>Health Education</u>	
18-44	950	1,090	2,060	Total COP/Wvrs	44	\$319,330	Community sessions	.
45-64	790	780	1,560	\$30,950 of the above Waiver costs		Community attendance	.	.
65+	810	620	1,430	were paid as local match/overmatch		School sessions	6	10
Total	3,160	3,140	6,300	using COP funds. This amount is		School attendance	163	260
<u>Poverty Estimates for 1995</u>				not included in above COP costs.		<u>Staffing - FTEs</u>		
(Census Bureau) 90% Conf Int				* 1997 Waiver costs reported above		Total staff	4	6.7
	<u>Estimate</u>	<u>(+ or -)</u>		include federal funding. Those		Administrators	1	1.6
All ages No.	652	140		shown in the 1996 report did not.		Public health nurses	.	.
Pct.	10.1%	2.1%		<u>Home Health Agencies</u>		Public health aides	.	.
Ages 0-17 No.	202	47		Patients 592		Environmental specialists	.	.
Pct.	14.6%	3.4%		Patients per 10,000 pop. 940		<u>LOCAL PUBLIC HEALTH FUNDING</u>		
----- E M P L O Y M E N T -----				<u>Nursing Homes</u>				
<u>Labor Force Estimates</u> <u>Annual Average</u>				Licensed beds 106				
Civilian labor force 3,352				Occupancy rate 100.0%				
Number employed 3,094				Residents on 12/31/97 106				
Number unemployed 258				Residents aged 65 or older				
Unemployment rate 7.7%				per 1,000 population 72		Total funding	\$227,704	\$36.26
						Local taxes	\$110,880	\$17.66

## N A T A L I T Y

TOTAL LIVE BIRTHS			63	<u>Birth Order</u>			<u>Births</u>	<u>Percent</u>	<u>Marital Status of Mother</u>			<u>Births</u>	<u>Percent</u>		
Crude Live Birth Rate			10.0	First			25	40	Married			53	84		
General Fertility Rate			58.6	Second			27	43	Not married			10	16		
Live births with reported congenital anomalies			3	.	%	Third			7	11	Unknown			0	0
						Fourth or higher			4	6					
						Unknown			0	0					
<u>Delivery Type</u>			<u>Births</u>	<u>Percent</u>	<u>First Prenatal Visit</u>			<u>Births</u>	<u>Percent</u>	<u>Education of Mother</u>			<u>Births</u>	<u>Percent</u>	
Vaginal after					1st trimester			57	90	Elementary or less			0	0	
previous cesarean			3	5	2nd trimester			4	6	Some high school			5	8	
Forceps			0	0	3rd trimester			1	2	High school			22	35	
Other vaginal			38	60	No visits			0	0	Some college			24	38	
Primary cesarean			10	16	Unknown			1	2	College graduate			12	19	
Repeat cesarean			12	19						Unknown			0	0	
Other or unknown			0	0											
<u>Birth Weight</u>			<u>Births</u>	<u>Percent</u>	<u>Number of Prenatal Care visits</u>			<u>Births</u>	<u>Percent</u>	<u>Smoking Status of Mother</u>			<u>Births</u>	<u>Percent</u>	
<1,500 gm			0	0.0	No visits			0	0	Smoker			14	22	
1,500-2,499 gm			2	3.2	1-4 visits			6	10	Nonsmoker			48	76	
2,500+ gm			61	96.8	5-9 visits			6	10	Unknown			1	2	
Unknown			0	0.0	10-12 visits			18	29						
					13+ visits			32	51						
					Unknown			1	2						
</															

\* - Not reported. Age or race category has less than 5 births

## ----- M O R B I D I T Y -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	0
Giardiasis	0
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	0
Lyme	0
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	0
Shigellosis	0
Tuberculosis	<5

- \* 1997 provisional data  
 \*\* Includes all positive HBsAg test results  
 \*\*\* Includes acute disease only

Sexually Transmitted Disease

Chlamydia Trachomatis	<5
Genital Herpes	0
Gonorrhea	0
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	0

## ----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by  
Compliance Level

Compliant	1,025
Non-compliant	41
Percent Compliant	96.2

## ----- M O R T A L I T Y -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	101
Crude Death Rate	1,603

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	.	.
15-19	.	.
20-34	1	.
35-54	8	.
55-64	10	.
65-74	22	3,060
75-84	34	6,438
85+	26	14,807

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	.	.
Neonatal	.	.
Post-neonatal	.	.
Unknown	.	.

Race of Mother

White	.	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	.	.
Neonatal	.	.
Fetal	.	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	25	397
Coronary heart disease	21	333
Cancer (total)	34	540
Lung	9	.
Colorectal	1	.
Female breast	4	.*
Cerebrovascular Disease	6	.
Chron Obstr Pulmonary	6	.
Pneumonia & Influenza	1	.
Injuries	6	.
Motor vehicle	2	.
Diabetes	2	.
Infectious & Parasitic	1	.
Suicide	1	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING  
OR CONTRIBUTING CAUSE OF DEATH

Alcohol	1	.
Other Drugs	1	.
Both Mentioned	.	.

## ----- M O T O R V E H I C L E C R A S H E S -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	71	3
Alcohol-Related	10	1
With Citation:		
For OWI	4	0
For Speeding	1	0
Motorcyclist	3	0
Bicyclist	0	0
Pedestrian	1	0

## H O S P I T A L I Z A T I O N S

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	34	5.4	5.0	\$8,537	\$46	Total	21	3.3	8.4	\$6,020	\$20
<18	3	.	.	.	.	18-44	9	.	.	.	.
18-44	8	.	.	.	.	45-64	7	.	.	.	.
45-64	6	.	.	.	.	<b>Pneumonia and Influenza</b>					
65+	17	.	.	.	.	Total	15	.	.	.	.
<b>Injury: Hip Fracture</b>						<18	0	.	.	.	.
Total	5	.	.	.	.	45-64	1	.	.	.	.
65+	5	.	.	.	.	65+	14	.	.	.	.
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	3	.	.	.	.	Total	17	.	.	.	.
18-44	2	.	.	.	.	45-64	5	.	.	.	.
						65+	12	.	.	.	.
<b>Psychiatric</b>						<b>Chronic Obstructive Pulmonary Disease</b>					
Total	39	6.2	6.5	\$5,298	\$33	Total	4	.	.	.	.
<18	11	.	.	.	.	<18	0	.	.	.	.
18-44	17	.	.	.	.	18-44	0	.	.	.	.
45-64	4	.	.	.	.	45-64	1	.	.	.	.
65+	7	.	.	.	.	65+	3	.	.	.	.
<b>Coronary Heart Disease</b>						<b>Drug-Related</b>					
Total	39	6.2	4.9	\$17,610	\$109	Total	6	.	.	.	.
45-64	11	.	.	.	.	18-44	4	.	.	.	.
65+	27	19.0	6.1	\$19,898	\$378						
<b>Malignant Neoplasms (Cancers): All</b>						<b>Total Hospitalizations</b>					
Total	33	5.2	6.1	\$12,243	\$64	Total	490	77.8	4.6	\$7,603	\$591
18-44	2	.	.	.	.	<18	58	46.2	3.2	\$2,621	\$121
45-64	13	.	.	.	.	18-44	98	47.6	3.8	\$5,040	\$240
65+	18	.	.	.	.	45-64	107	68.4	4.4	\$9,518	\$651
<b>Neoplasms: Female Breast (rates for female population)</b>						65+	227	159.6	5.4	\$9,079	\$1,449
Total	2	.	.	.	.	-- P R E V E N T A B L E H O S P I T A L I Z A T I O N S * --					
<b>Neoplasms: Colo-rectal</b>						Total	46	7.3	4.2	\$6,400	\$47
Total	5	.	.	.	.	<18	0	0.0	.	.	.
65+	4	.	.	.	.	18-44	2	1.0	2.5	\$3,809	\$4
<b>Neoplasms: Lung</b>						45-64	6	3.8	3.3	\$5,498	\$21
Total	4	.	.	.	.	65+	38	26.7	4.4	\$6,679	\$178
<b>Diabetes</b>						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1997 differs from 1996. The major change is that secondary diagnosis of dehydration was included in 1996 and excluded in 1997. The total number of preventable hospitalizations in 1996 using the 1997 definition would have been 58.					
Total	5	.	.	.	.						
65+	0	.	.	.	.						